

FIGURE 1

1 6 8 9
R P S G R K S S K M Q A F R I

16 21
W D V N Q K T F Y L R N N Q L V A G Y L

36 41
Q G P N V N L E E K I D V V P I E P H A

56 61
L F L G I H G G K M C L S C V K S G D E

76 81 84
T R L Q L E A V N I T D L S E N R K Q D

96 101
K R F A F I R S D S G P T T S F E S A A

116 121
C P G W F L C T A M E A D Q P V S L T N

141 170
M P D E G V M V T K F Y F Q E D E

Asp Ser Val Cys Pro Gln Gly Lys Tyr Ile His Pro Gln Asn Asn Ser Ile Cys Cys Thr 10 20
Lys Cys His Lys Gly Thr Tyr Leu Tyr Asn Asp Cys Pro Gly Pro Gly Gln Asp Thr Asp 30 40
Cys Arg Glu Cys Glu Ser Gly Ser Phe Thr Ala Ser Glu Asn His Leu Arg His Cys Leu 50 60
Ser Cys Ser Lys Cys Arg Lys Glu Met Gly Gln Val Glu Ile Ser Ser Cys Thr Val Asp 70 80
Arg Asp Thr Val Cys Gly Cys Arg Lys Asn Gln Tyr Arg His Tyr Trp Ser Glu Asn Leu 90 100
Phe Gln Cys Phe Asn Cys Ser Leu Cys Leu Asn Gly Thr Val His Leu Ser Cys Gln Glu 110 120
Lys Gln Asn Thr Val Cys Thr Cys His Ala Gly Phe Phe Leu Arg Glu Asn Glu Cys Val 130 140
Ser Cys Ser Asn Cys Lys Lys Ser Leu Glu Cys Thr Lys Leu Cys Leu Pro Gln Ile Glu 150 160
161
Asn

FIG 2




FIG. 3





FIG. 4




FIG. 5



08/482283

138

223-02037-02

901541A

⊕ Shinadzu





FIG. 6

R.P. Purifi






FIG. 8




FIG. 9

FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13








FIGURE 14




A Test of Varying Ratios of C105: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia



A Test of Varying Ratios of C105 PEG 3.5 K Dumbell: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia



A Test of Varying Ratios of C105 PEG 10K Dumbell: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia



A Test of Varying Ratios of C105 PEG 20K Dumbell: TNF- α
(Simultaneously Administered Intraperitoneally
in a Model of Neutrophilia




FIGURE 15

FIGURE 16


PEGylated TNF- I_{hh} i.v. in rats

FIGURE 17



PEGylated TNF- $I_{\alpha h}$ s.c. in rats

FIGURE 18

SOLUBILITY OF PEGYLATED II-1ra
4/15/91 160MG/ML






FIGURE 19